

TransQuip

Aluminium Loading Ramps



Aluminium Loading Ramps

Aluminium Loading Ramps



Safe, quick, easy and strong... easily load up to 7,500kg

More than 33 models to choose from

Double guarantee on most ramps

Transquip's Alloy Loading Ramps make loading easy. With them on board you'll be:

- **Versatile** – load fast, anytime, almost anywhere.
- **Safety** – no dangerous loading methods or back breaking lifting with our lightweight alloy.
- **Economical** – save time, save space and save towing costs.
- **Reassured** – with our professionally engineered, proven design.
- **Spoilt for choice** – with 33 ramp models available from our three ranges:
 1. The ATV, Motorbike and Ride-On Lawnmower Range.
 2. The Light Industrial Range (for 750kg to 2500kg loads).
 3. The Heavy Industrial Range (for 3000 to 7500kg loads).
- **Covered** – with our double guarantee, on all ramps with 750kg capacity or more:
 - a) 30 day no risk guarantee – if you're not completely satisfied with any purchase, return it in its original condition and packaging within 30 days for a full refund. (Excludes custom made items and freight costs).
 - b) 24 month guarantee against manufacturing defects.

Five quick steps to choose your ramp:

- 1 Consider the operating mass of the machine, including the attachments.
- 2 Work out the tyre or track width
- 3 Measure the truck's deck height (standard industrial ramps are made for a deck height of 1100mm - 1300mm).
- 4 Choose your connection method – normally a flat plate (which is secured with pins supplied with the ramp).
- 5 Call us – we'll have the right ramp in stock or we'll make it and deliver it...fast.

For expert advice contact us now: FREEPHONE 0508 31 31 31

We have a variety of lengths and widths in stock now

Get the right grip with different rungs available



Secure and safe flat plate or hook for attaching


HEAVY INDUSTRIAL RAMPS RANGE, 3000-7500KG

Our heavy industrial ramps are tough but comparatively light and easy to use. They come in a range of sizes but we can custom-make one for you.

Standard Sizes

Remember, variations to suit your needs are easily accommodated. Larger capacity ramps available on request.

Model	Capacity ¹	Weight per Ramp	Length ² Metres	Section Dimensions (mm)			
				A	B	C	D
2031	3000kg	32kg	3.3	400	490	125	40
2033	4500kg	45kg	3.3	450	550	150	45
2034	4500kg	47kg	3.6	450	550	150	45
2034B	4500kg	50kg	3.6	450	550	150	45
2036	6000kg	58kg	3.6	530	650	175	60
2036B	6000kg	61kg	3.6	530	650	175	60
2037	7500kg	68kg	3.6	600	730	200	60



Notes: 1. Capacity based on axle load per pair of ramps. Wheelbase and load distribution affect rating.
 2. Length includes connecting plate.
 3. The 4500kg and 6000kg models are available in two different rung sections – those with the traditional type have a 'B' after the model number

FREEFAX 0508 41 41 41, or EMAIL sales@transquip.co.nz

Aluminium Loading Ramps

Light and easy to store

Supplied with pins for secure attachment



Wide ribbed rung for excellent traction and strength

LIGHT INDUSTRIAL RAMPS RANGE, 750 – 2500KG

Load quickly, safely and easily with these loading ramps, which are ideal for smaller machinery. Super strong with solid traction these are available in a range of sizes, but remember we custom-make ramps as well.

750 - 1200kg

	Model	Length	Capacity per pair	Mass per ramp (kg)
	2045	1.5m	1200kg	7kg
	2046	1.8m	1100kg	9kg
	2047	2.1m	950kg	10kg
	2048	2.4m	850kg	11kg
	2049	2.7m	750kg	13kg

900 - 1700kg


	Model	Length	Capacity per pair	Mass per ramp (kg)
	2010	1.8m	1700kg	11kg
	2011	2.1m	1400kg	13kg
	2012	2.4m	1200kg	15kg
	2013	2.7m	1000kg	16kg
	2014	3.0m	900kg	18kg

1500 - 2500kg

	Model	Length	Capacity per pair	Mass per ramp (kg)
	2020	2.1m	2500kg	15kg
	2021	2.4m	2200kg	17kg
	2022	2.7m	1900kg	19kg
	2023	3.0m	1700kg	21kg
	2024	3.3m	1500kg	23kg

	Part Number	Description	Size
	2030	Pin for securing flat plate to deck	14mm diameter

GET UP AND GO!



Extra light...only 7kg




Some models fold for easy storage

Super strong and reliable design

ATV, MOTORBIKE, AND RIDE-ON MOWER RAMPS.

FOLDING MOTORBIKE RAMP - 200KG

Smart looking and easy to handle these ramps fold neatly in half for storage (they measure just 940mm long when folded). They also have a special section rung made with pressed lugs and cross strips for better traction and they hook onto the vehicle effortlessly with locating lugs.

	Model	Length	Overall width (mm)	Capacity kg each
	2004	1.825m	295mm	200kg


ATV AND RIDE-ON MOWER RAMPS


- Easy to handle, lightweight aluminium.
- Wide ribbed rungs for excellent traction and strength.
- Simple to attach to vehicle - either hook to tailgate or sit plate on deck.
- Folding options available. Indicated by 'F' after model number.
- Punched plate surface also available upon request.

	Model	Length	Overall width(mm)	Capacity kg each pair	Type of Ramp
	2001	2.1m	295	500	ATV with rungs
	2001F (folding)	2.1m	295	500	
	2002	2.1m	275	400	Ride-on with rungs
	2002F (folding)	2.1m	275	400	

TWO WHEEL MOTORBIKE RAMPS

- Load up your two wheelers quickly and easily!
- Complete with stabilizing foot on bottom and top plate for sitting on and attaching to vehicle.

	Model	Description	Length (m)	Max. tyre width (mm)
	2006	2 wheeler motorbike ramp	1.5	120
	2007		2.0	120

	Model	Description	Size
	2000	Pin for securing ramps	10mm diameter