

*TransQuip*

# *Lubrication & Pumping*



# Lubrication & Pumping





Lubrication & Pumping












## GREASE GUNS AND ACCESSORIES





With Transquip's Grease Guns you'll be able to get your job done right and quickly. Our range has a huge number of products to suit any use or budget, it includes:

- Lever action grease guns with superb leverage (these require two hands to operate).
- Pistol grip grease guns that can be operated with one hand (ideal for greasing hard to reach nipples).
- Flexible and rigid gun extensions

	Part Number	Description
	5308	Top quality Alemite lever action grease gun for the serious user who needs reliability. Plenty of grunt, pumps up to 12,000psi. Takes a standard 450 gram cartridge or has a bulk fill nipple. Coarse thread on barrel to minimise cross threading. 12 month warranty. Made in Germany. Double 'O' Ring System to stop false greasing.
	5309	Top quality Alemite pistol grip type grease gun for the serious user. Ideal for those confined or hard to reach areas with a flexible extension hose. Pumps up to 12,000psi and takes the 450 gram cartridge, or has a bulk fill option. Coarse thread on barrel to minimise cross threading. Leverage adjustment for high pressure or high volume options. 12 month warranty. Made in Germany. Double 'O' Ring System to stop false greasing.
	5307	Economy Alemite lever type grease gun with rigid extension. Pumps up to 8000psi, takes standard 450 gram cartridges or can be bulk filled.
	5303	Economy Alemite pistol grip grease gun with 300mm flexible extension. Pumps up to 6000psi, takes standard 450 gram cartridges or can be bulk filled.







	Part Number	Description
	5120	Powerbuilt lever type grease gun. Takes standard 450 gram cartridges. Includes steel and flexible extensions.
	5121	Powerbuilt pistol grip type grease gun. Complete with steel and flexible extension hose to reach those confined grease nipples. Takes standard 450 gram cartridges.
	5124	Groz lever action grease gun, 10,000psi, steel extension and coupling. Takes standard 450 gram cartridges or can be bulk filled.
	5125	Groz pistol grip grease gun with flexible extension and coupling. High pressure or high volume setting on handle. Takes standard 450 gram cartridges or can be bulk filled.
	5351	McNaught lever action grease gun. Takes 450 gram cartridges or can be bulk filled. Very tough and fully serviceable. 5 year warranty; Pumps up to 10,000psi.
	5350	McNaught pistol grip type grease gun with unique short stroke - ideal for one handled operation. Very tough and fully serviceable. Takes 450 gram cartridges or can be bulk filled. Pumps up to 7500psi.
	5360	Alemite lever type grease gun that takes 400 gram cartridges or can be bulk loaded. Pumps up to 7500psi. 12 month warranty.
	5336	The quick effortless way to grease! Air operated grease gun that takes a standard 450 gram grease cartridge. Complete with air release valve and grease filter.
	5334	18v cordless grease gun kit. Includes spare battery, recharger and carry case. 10,000psi pressure, up to 80 grams/minute. Can be bulk loaded or take a 450 gram cartridge. Can do 25 minutes continuous working. 106cm flexible extension.

## GREASING KITS AND PUMPS

	Part Number	Description
	5310	Manual Alemite grease kit to fit 2.5kg drum. Detachable gun for quick and easy greasing. 12 month warranty.
	5330	Manual Alemite grease kit to fit 20kg drum, up to 10,000psi pressure. Detachable gun for quick and easy greasing. High pressure / high volume setting.
	5331 – 20kg	Air operated grease kit to fit drum – the easy way to grease. Will handle thick / tacky grease up to NLG12. 8 foot of hose with Z swivel and handpiece.
	5332 – 55kg	
	5326	Alemite grease gun loader pump for fast grease gun refills. Saves grease cartridge hassles – can load Australian, European and US style guns. High quality follower plate to ensure elimination of air pockets and no contamination of grease. Fits 20kg drum. 12 month warranty.



## GREASING ACCESSORIES

	Part Number	Description
	5112	Lightweight, ergonomic grease control valve with a 1/4" BSP inlet thread. Extension and coupler included.
	5113	'Z' swivel with 1/4" BSP threads
	5311	4 Jaw standard grease coupler. Made in Germany.
	5340	3 Jaw grease coupler
	5313	Needle point type grease coupler with cover

	Part Number	Description
	5313N	Needle point only
	5341	Rigid grease gun extension
	5334	20cm Flexible extension
	5314	30cm Flexible extension
	5315	45cm Flexible extension
	5316	70cm Flexible extension
	5123	Keep your grease gun in a convenient spot! Bracket to mount grease gun.
	5329	450 gram cartridge of Multipurpose grease
	5117	Grease nipple Thread Tester. Save time and headaches. Many size threads including BSP, NPT, UNF, BSW and Metric.



**GREASE NIPPLES – IN A KIT OR SPECIFIC SIZE. HAVE THE SIZE YOU WANT AT HAND!**

	Part Number	Description	Quantity/Size
	5370 5371 5372	Grease nipple assortment kits. Choice of imperial, metric or an automotive combination.	101 x imperial 101 x metric 115 x automotive
	5375 5376 5377 5378 5379 5380 5381 5386  5387 5388 5389  5390 5391 5392  5393 5394	Grease nipple blister pack – top up your kit or keep a specific size on hand. Packed in a hangable blister pack.	1/8" BSP, straight 1/8" BSP, 45° 1/8" BSP, 90° 1/4" BSP, straight 1/4" BSP, 45° 1/4" UNF, straight 1/4" UNF, 90° 6mm x 1mm, straight 6mm x 1mm, 90° 6mm x 1mm, 45° 8mm x 1mm, straight 8mm x 1mm, 45° 8mm x 1mm, 90° 10mm x 1mm, straight 10mm x 1mm, 90° 10mm x 1mm, 45°



**Cart your diesel around on your ute!**






*Less mess...easy to operate*

*Set up ready to pump – fast*

**PUMPING**

*Less mess, no fuss. Pumping will be quick and easy with our range of electric, air and hand operated pumps and accessories. We even have fuel nozzles so you can control the flow, suction guns and flow meters so you'll be able to see exactly how much liquid has been pumped.*

	Part Number	Description	Size
	5401	The smart way to transport your diesel. Made of light but robust poly – easy to move around when empty. Complete with 12 volt pump which delivers at 40lpm. 4 metre delivery hose and auto shut off nozzle. 4 metre electric cable with clips to hook onto battery. Filler lid and breather, safety bottom fill drop tube. Lockable nozzle mount to hinder thieves.	200 litre – 1080mm long x 600mm wide x 550mm high. Dry weight 15kg.
	5405		400 litre – 1060mm long x 900mm wide x 670mm high. Dry weight 34kg.
	5407 low profile		400 litre – 1700mm long x 580mm high x 820mm wide. Dry weight 35kg.








*Other tank sizes available, up to 1000 litres*

## ELECTRIC AND AIR OPERATED PUMPS




	Part Number	Description	Voltage
	5011	40 litre per minute diesel pump kit to get you going! Complete with self priming diesel pump with cable and alligator clips, alloy nozzle with 1" brass swivel, 4m of 19mm I.D. hose, metal telescopic tube, ring nut, suction filter & hose connections.	12 volt
	5012		24 volt
	5013	40 litre per minute self priming diesel pump with carry case, on/off switch, cable with alligator clips, a suction strainer, and 3/4" ports.	12 volt
	5014		24 volt
	5015 – 56LPM	Fast flow! High capacity! Large capacity self priming diesel pump with 1" ports and on/off switch	12 volt
	5016 – 70LPM		24 volt
	5031	Diesel pump kit ready to get you pumping! Pump is self priming with 1" ports. Kit includes flow meter, alloy nozzle with a brass swivel, 4m of 19mm delivery hose with brass connections, 'Y' pattern brass filter, and is panel mounted with an integral nozzle holder. 60 lpm	230 volt
	5118	Air operated Oil Transfer kit for 205 litre drums. Pumps up to 40 lpm. Suitable for engine, gear, diff and hydraulic oils. High quality pump, 3 metres of 1/2" hose and on/off control valve.	Air Operated
	5119	Air operated Oil Transfer kit with a meter for 205 litre drums, pumps up to 15 lpm. Suitable for engine, gear, diff and hydraulic oils. Control valve with resettable electronic meter and totaliser showing amount dispensed.	Air Operated







## HAND OPERATED PUMPS AND SUCTION GUNS

	Part Number	Description
	5103	Hand operated lever type transfer pump for 60 / 205 litre drums. Ideal for oils, kerosene, diesel and ATF. Delivers approx. 0.45 litre per stroke.
	5115	Hand operated rotary transfer pump for 60 / 205 litre drums. Delivers up to 17 lpm. Suitable for petrol, diesel, kerosene and low viscosity oil. Can pump in both directions.
	5108	Hand operated polypropylene rotary transfer pump for 60 / 205 litre drums. Delivers up to 20 lpm. Suitable for herbicides, pesticides, chemicals and mild detergents. Polypropylene, viton and stainless steel construction offers excellent chemical resistance.
	5109	Hand operated Ryton rotary action drum pump for 60 / 205 litre drums. Delivers up to 20 lpm. Suitable for low viscosity chemicals, lacquers, mild acids and antifreeze. Teflon and stainless construction.
	5105	Hand operated drum pump for 60 / 205 litre drum. Capable of up to 40 lpm, 1 litre per stroke! Suitable for diesel, petrol, kerosene and lube oils up to SAE30. Prevent theft – lockable handle!
	5305	Hand operated 20 litre oil drum pump with hose and drain back nozzle. Suitable for engine, diff, gear and hydraulic oils.
	5102 – 20 litre	Hand operated drum pump with spring which automatically pumps on up stroke. Ideal for topping up engines, diffs, gearboxes and transmissions.
	5101 – 60 litre	
	5304	775cc oil suction gun, ideal for emptying / filling gearboxes or diffs.
	5306	530cc oil suction gun, ideal for emptying / filling gear boxes or diffs.




**FLOW METERS: - MEASURE JUST HOW MUCH IS BEING PUMPED!!!**

	Part Number	Description
	5033	Measure your usage. Flow meter for diesel, with a 3 digit meter (with reset), and a 6 digit cumulative total. 1" BSP outlets, 20 -120 lpm. Housing can be rotated for 4 different ports positions. Very reliable and precise.
	5037	Flow meter for diesel and petrol. Ideal in Gravity feed applications. 1" BSP ports which can be rotated. Batch totals to 999 litre, cumulative total to 99,999.9 litres. 19 – 76 lpm.
	5034 male/ male outlets 5035 male/ female outlets	Electronic Flow meter with 1"threaded outlets for low viscosity fluids like diesel, water, kerosene, and petrol. Display can be rotated in 4 different positions. Tough, reliable and versatile, powered by 2 AAA batteries. Male/male, or male/female outlet options.






**FUEL NOZZLES: - CONTROL THE FLOW!**

	Part Number	Description	Tail Size
	5021	Plastic nozzle with NBR seals for diesel with a choice of 2 sizes of tail. Complete with a lock-on button and swivel hose tail. Suits flow rate of 20 – 80 lpm	20mm
	5022		25mm
	5024	Plastic nozzle with Viton seals for petrol with a choice of 2 sizes of tail. Complete with a lock-on button and swivel hose tail. Suits flow rate of 20 – 80 lpm.	20mm
	5025		25mm
	5023 -Diesel	Alloy manual heavy duty nozzle with built in brass swivel. 2 stage lock on trigger, suits flow rate of 20 - 80 lpm. 1" female BSP inlet.	1" BSP inlet.
	5026 - Petrol		
	5032	Alloy manual nozzle with anti-shock plastic shell. Can deliver up to 150 lpm. Good for petrol/diesel/light oils. Complete with lock on button and swivel.	1" BSP inlet.
	5027	Time saver, lock on and leave when refueling. This automatic shut-off nozzle will click off once your tank is full. Requires 13 lpm to work and has a flow rate of up to 60 lpm.	3/4" BSP inlet.
	5028	Big flow 120 lpm Automatic shut-off nozzle. Requires 13 lpm to work.	1" BSP inlet.


**FUEL FILTERS – FILTER OUT ALL THOSE BADDIES!**

	Part Number	Description
	5200	Fuel filter with clear bowl so you can see how dirty your filter is. Drain cock at base to remove water. Ideal for diesel or petrol. 1" BSP ports, max pressure of 120psi. Complete with filter element.
	5201	Element to suit fuel filter
	5202	Clear bowl to suit fuel filter

**HOSE AND FITTINGS**

	Part Number	Description	Size
	5210	Handy Diesel hose with for connecting up to your pumping gear. Can be cut to any length required. 20 bar.	19mm
	5211		25mm
	5038	Brass hose tail	3/4" BSP x 19mm tail
	5039		3/4" BSP x 25mm tail
	5040		1" BSP x 19mm tail
	5041		1" BSP x 25mm tail
	5042	Galvanized hose tail	3/4" BSP x 20mm tail
	5043		1" BSP x 25mm tail
	5029	Swivel to stop hoses kinking	Male 1" and female 1" outlets
	5030		Male 3/4" and female 1" outlet
	5046	Cast fitting adaptor to downsize from 1" BSP to 3/4" BSP	External 1" and internal 3/4"








**SPILL KIT: - BE PREPARED FOR A SPILL – JUST IN CASE!**

	Part Number	Description
	5502	Universal Vehicle Spill Kit in a bag for easy storage. Contains 10 x universal pads, 2 x 1.2m universal socks, 1 x 2.5kg Mineral sponge, 1 x pair gloves, 2 x disposable waste bags and instruction card.





Other spill kits available.

**FREEFAX 0508 41 41 41, or EMAIL sales@transquip.co.nz**

**ACCESSORIES**

	<b>Part Number</b>	<b>Description</b>	<b>Size</b>
	5344 5245 5346	Plastic oil containers with a flexible nozzle for easy pouring and lid to stop contamination.	1 litre 2 litre 5 litre
	5348 – rigid 5349 – flexi	Oil can for easy lubrication, with 600ml capacity. Rigid or flexible options.	600ml
	5365	Multipurpose top up kit – ideal for topping up difficult access points. Suitable for all oils, transmission and brake fluids and some cleaners.	1 litre capacity.
	5362	Big round steel funnel with handle	
	5363	Big square plastic funnel	
	5366	Plastic funnel with filter and long angled spout for easy pouring.	
	5367	Set of 4 plastic funnels to suit many applications	

**FUEL CONTAINERS**

	<b>Part Number</b>	<b>Description</b>	<b>Size</b>
	5420	Easy storage and transportation! Fuel containers with flexible spout for easier pouring and handle for carrying.	5 litre
	5423		10 litre
	5428		20 litre
	5429		20 litre