


*TransQuip*

# ***Safety & Overdimension Gear***



# Safety Gear

Safety Gear




## OVERDIMENSION SAFETY GEAR

Eye-catching, sturdy and long lasting, our Overdimension Gear range has everything you need (from fluorescent flags to flashing lights) to ensure your big loads and vehicles are legal.









With our gear you'll be:

- Buying direct from the hazard panel manufacturer and saving money.
- Getting quality – our signs are made from a 2mm alloy, an aluminium composite, or a light tough plastic panel.
- Assured you're receiving products that are in line with the NZ regulations.

### 'SENTINEL' HAZARD PANELS - BUY DIRECT OFF THE MANUFACTURER

	Part Number	Description	Size
 <p>LH      RH</p>	9206 alloy 9206C composite	Single sided hazard panel for day / night use on 2mm alloy panel, or aluminium composite panel.	400mm x 300mm
	9207 alloy 9207C composite	Double sided hazard panel for day / night use on 2mm alloy panel, or aluminium composite panel.	
	9218 plastic	Single sided hazard panel for day / night use on plastic panel.	
	9219 plastic	Double sided hazard panel for day / night use on plastic panel.	

## FLAGS - AVAILABLE IN SINGLES OR SETS.

	Part Number	Description	Side
	9199	Fluro vinyl flag with orange stripe	400mm x 300mm
	9200	Fluro vinyl eyelet flag with a rope border. Includes storage bag with every 4 flags.	
	9201	Fluro vinyl eyelet flag with a rope border and two bungy cords for easy securing. Includes a storage bag with every 4 flags.	
	9202	Bungy cords for securing flags.	N/A
	9203	Fluro vinyl pole flag with a rope border. Includes a storage bag with every 4 flags.	400mm x 300mm
	9205	Fluro vinyl pole flag with a rope border and alloy handle.	
	9209	Retro reflective flag for day / night use with eyelets.	400mm x 300mm
	9238 9239	Karabiner – ideal for clipping flags onto your load. In 2 sizes.	6mm 8mm






**OVERDIMENSION SIGNS**

	Part Number	Description	Size (mm)
	9210	OVERSIZE panel for day / night use	1100 x 300mm
	9211	OVERSIZE panel for day only use	
	9212	OVERSIZE roll up vinyl sign with eyelets, Complete with bag for easy storage.	1100 x 300mm
	9213	OVER panel for day / night use	550 x 300mm
	9214	OVER panel for day only use	
	9215	SIZE panel for day / night use	550 x 300mm
	9216	SIZE panel for day only use	
	9217	Slow Moving triangle panel	360 x 400mm
	9220	PILOT VEHICLE panel for day / night use	1100 x 520mm
	9222	WIDE LOAD FOLLOWS panel for day / night use	1100 x 520mm
	9223	WIDE LOAD FOLLOWS panel for day only use	
	9224	WIDE LOAD FOLLOWS / PILOT VEHICLE, double sided panel for day / night use	1100 x 520mm
	9226	WIDE LOAD FOLLOWS roll up vinyl sign for day only use	1100 x 520mm
	9227	STOP / SLOW sign on handle	250mm dia.
	9228		350mm dia.
	9225-4	Covering words panel, to use over existing sign.	550 x 180mm
	9225-5		960 x 180mm








A wide range of signs with other messages also available

**For expert advice contact us now: FREEPHONE 0508 31 31 31**

**OVERDIMENSION ACCESSORIES**

	Part Number	Description
	9229	Set of 3 highly reflective warning triangles. Packed in a heavy duty container for storage.
	9230	Hand held wand with solid or flashing light. Powered by 'D' batteries (not included – see page 182 for batteries)
	9231	Torch with snap-in cone shaped wand. Powered by 'D' batteries (not included – see page 182 for batteries)
	9232	White gloves to meet Oversize Pilot requirements.
	9233 Red	Self powered LED Marker lamp. Powered by AAA batteries (2 supplied). 6 function modes, wide angle beam. Includes clip. Red and amber options. 65mm wide x 40mm high.
	9234 Amber	

**OTHER VEHICLE MOUNTED SIGNAGE TO KEEP YOUR TRUCK SAFE AND LEGAL.**

	Part Number	Description	Size (mm)
	9236	DO NOT OVERTAKE TURNING VEHICLE Pair of adhesive signs	400mm x 400mm
	9237	IF YOU CAN'T SEE MY MIRRORS I CAN'T SEE YOU! Adhesive sign	450mm x 300mm
	9330	Dangerous Goods sign with various messages, adhesive vinyl. Full range available.	250mm x 250mm
	9331	Dangerous Goods flip signs with 15 messages plus 'Drive Safely'	350mm x 350mm
	9332	Dangerous Goods sign holder to fit 295 x 295mm signs.	300mm x 300mm
	9340	Dangerous Goods sign with various messages, PVC. Full range available.	295mm x 295mm
	9360	Dangerous Goods Documents Bag with velcro to stick on door.	270mm x 315mm

Top quality halogen and LED options in stock



## SAFETY LIGHTING

### BEACONS





We have an enormous range of beacon lights and accessories...one for every use and budget. We're happy to talk you through the pros and cons of all the options we have available, including:

- Traditional halogen, 'rotating' beacons that produce a very bright light. These can be driven by rubber belts, gears or by direct friction.
- LED beacons which are super energy efficient ensuring they're easy on batteries and have a long-life. Many LED's are also multivoltage and have many flashing patterns.









You can also choose from a range of mounting options, including:

- Permanent fixtures – ideal when the beacon does not need to be moved.
- Magnetic bases – perfect for temporary use, these are powered through a vehicle's cigarette lighter.
- Pole mounted – the best solution for situations where lights may be knocked about or need to be removed regularly. We even have flexi-poles, which will move if the beacon's struck, giving it extra protection.

### BRITAX ROTATING BEACONS – QUALITY YOU CAN RELY ON!





	Part Number	Description	Mounting type	Size
	9800	Premier rotating beacon range, with polycarbonate amber lens. Dual Voltage with belt drive for quiet operation. Change from 12 to 24 volt by moving belt. Halogen bulb supplied separately.	3 bolt	179mm high x 153 mm diameter
	9810		Magnetic base with suction pad	182mm high x 155 base diameter
	9820		Flexi pole mount	290mm high x 149mm diameter
	9821		Pole mount	236mm high x 149mm diameter

### EUROPEAN MADE ECONOMY ROTATING BEACON





	Part Number	Description	Mounting type	Voltage
	9700-12 9700-M	Rotating beacon range with clear amber lenses. Available with 12 volt bulb, or as Dual Voltage without bulb. <b>Belt driven.</b> Very good value!	3 bolt, permanent mount	12 volt bulb Dual Voltage, bulb supplied separately
	9701-12 9701-M		Magnetic Base mount, curly cord and plug	12 volt bulb Dual Voltage, bulb supplied separately
	9702-12 9702-M		Pole mount	12 volt bulb Dual Voltage, bulb supplied separately
	9703-12 9703-M		Flexi pole mount	12 volt bulb Dual Voltage, bulb supplied separately
	9710-12 9710-M	Rotating beacon range with amber polycarbonate lenses. Available with 12 volt bulb or Dual Voltage without bulb. <b>Gear driven.</b> Very good value!	3 bolt mount, permanent mount	12 volt bulb Dual Voltage, bulb supplied separately
	9711-12 9711-M		Magnetic base mount, curly cord and plug	12 volt bulb Dual Voltage, bulb supplied separately
	9712-12 9712-M		Pole mount	12 volt bulb Dual Voltage, bulb supplied separately
	9713-12 9713-M		Flexi pole mount	12 volt bulb Dual Voltage, bulb supplied separately




**GOOD ALL ROUNDER! UK MADE ROTATING BEACON WITH DIRECT FRICTION DRIVE.**

	Part Number	Description	Mounting type
	9000	Amber rotating beacon that can take a 12 or 24 volt halogen bulb (supplied separately). Non fading and non crazing lens.	3 bolt, permanent mount
	9001		Magnetic base with curly cord and plug
	9003		Flexipole mount
	9004	Lense to fit beacons above.	N/A





**LED BEACONS – HASSLE FREE, WITH NO BULBS TO BLOW AND VERY LOW CURRANT DRAW.**

	Part Number	Description	Mounting type	Size (mm)
	9851	Top quality 'code 3' amber beacon. 30 flash patterns including 4 'rotating' patterns. LED's flashing out horizontally and vertically! Tough clear polycarbonate lense, 10 – 30 voltage range. Can be connected to up to 8 beacons for alternating or simultaneous flashing.	Permanent mount	114mm high x 165mm diameter
	9852		Magnetic base	
	9855	Mini amber LED beacon with 6 flash patterns. 10 – 48 volt. Bright Gen 3 LED; vibration and water proof.	Permanent mount	55mm high x 128mm diameter
	9856		Magnetic base	
	9085	LED beacon with 30 LED's. 10 – 30 volts.	Permanent mount	95mm high x 90mm diameter
	9086		Magnetic mount	
	9080	LED beacon with 60 LED's	Permanent mount	125mm high x 120mm diameter
	9081		Magnetic base mount	

**LED STROBE TYPE LIGHTS – IDEAL FOR FLASHING IN ONE DIRECTION**

	Part Number	Description	Size (mm)
	9135 white	LED Strobe type directional flashing light. High powered. Amber, white or red LED's. Voltage Range 9–36V. Built in flasher unit. White option can be used for day running lamps.	120mm long x 50mm wide x 41mm high
	9136 amber		
	9137 red		





**STROBE BEACONS – IDEAL FOR FORKLIFTS**

	Part Number	Description	Size
	9130	Reliable, maintenance free strobe lights with a wide voltage range. 12 – 110 VDC Low power consumption. Vibration protected circuitry.	95mm high x 130mm diameter base
	9131		140 x 58mm base x 67mm high
	9132		100mm high x 70mm diameter
	9158	Strobe light tube, 12 – 110 VDC.	N/A


Rubber bung to keep out the weather when it's not in use



**BEACON ACCESSORIES – GEAR TO MAKE IT EASIER TO FIT YOUR BEACONS.**

	Part Number	Description
	9150	Tube type pole mount bracket.
	9151	Pole mount with flat round plate for bolting onto a surface.
	9152	Pole mount with 2 tab mounts for bolting onto a surface.
	9153	L bracket readymade for mounting beacons quickly and easily.

**HALOGEN BULBS**

	Part Number	Description	Voltage
	4500 4510	H1 halogen bulb for beacons and bar-lights, ready to fit. 12 volt and 24 volt options.	12 volt, 55 watt 24 volt, 70 watt

Large range of electrical products in the Lighting section on pages 19 to 57

**Super bright halogen bulbs, Two rotators...attract maximum attention**



**LIGHT BARS**

Our Light Bars (or Barlights) are well-designed – we have low profile options to limit wind drag, 360° flashers to eliminate blind spots, and permanent or magnetic mounting options.






You'll also find we offer:

- A range in lengths – from 400m to 1.2 metres.
- Both halogen and LED technology, with a range of flashing options.
- Bright fluorescent colours to keep your site safe
- Completely compliant with safety regulations
- Cost-effective barlights that are built tough and long lasting.



LED - draws only 4 amps!  
26 different flashing options

**MINI LED BARLIGHTS – SAVE BATTERY DRAIN AND LOOK SMART!**

	Part Number	Description	Voltage	Size (mm)
	9860 permanent	Smart, low profile LED barlight which draws only 4 amps max! 26 different flash patterns which are easily changed. Directional optics, Dual Voltage. Magnetic option has magnetic base and rubber suction pads.	Dual Voltage 12 & 24 volt	422mm long x 278mm wide x 65mm high
	9861 magnetic base			
	9864-12 permanent 9864-24 permanent 9865-12 magnetic 9865-24 magnetic	Smart, low profile LED barlight with super wide options. 12 and 24 volt options. 26 different flash patterns. Only 4 amps max power draw!	12 volt 24 volt 12 volt 24 volt	422mm long x 278 mm wide x 65mm high
	9067 - permanent 9068 - magnetic	LED barlight with 'Rotating' type pattern. Mirror to reflect flashes. Permanent and magnetic options. Amber lens.	Dual Voltage 10-30 volt	415mm long X 205mm wide
	9060 permanent 9061 magnetic	Sho-Me LED barlight in permanent or magnetic base options. Directional LEDs which flash 360°. 7 different flash patterns which can be altered by switch. Only draws max of 4.2 amps.	12 volt and 24 volt options	440mm long x 235mm wide x 60mm high  A 690mm long option is also available

**MINI HALOGEN BARLIGHTS**

	Part Number	Description	Voltage	Size (mm)
	9830	Best selling Britax barlight with 2 rotators and distinctive amber lense. <b>Belt driven</b> model, permanent mount. Halogen bulbs included.	12 volt	420mm long x 205mm wide x 133mm high
	9831		24 volt	
	9836	Britax barlight with 2 rotators and distinctive amber lense. <b>Gear driven</b> model. Permanent mount. Halogen bulbs included.	12 volt	420mm long x 205mm wide x 133mm high
	9837		24 volt	
	9840	Britax barlight with magnetic base and rubber suction pads. Ideal for temporary use applications. Includes cigarette lighter plug on cord for quick 'power up.' Belt driven option. Halogen bulbs included.	12 volt	420mm long x 205mm wide x 183mm high
	9841		24 volt	
	9848	Amber lense to fit Britax barlight	NA	420mm long
	9849	Magenta lense to fit Britax barlight	NA	420mm long
	9140	Permanent mount Vision Alert barlight with twin rotators. Amber lense, belt driven. Halogen bulbs included.	12 volt	400mm long x 210mm wide x 115mm high
	9141		24 volt	
	9142	Magnetic base Vision Alert barlight. Ideal for temporary use applications. Includes cigarette light plug on a lead. Halogen bulbs included.	12 volt	400mm long x 210mm wide x 220mm high
	9143		24 volt	
	9144	Amber lense to fit Vision Alert barlight	NA	400mm long
	9145	Magenta lense to fit Vision Alert barlight	NA	400mm long
	9030	Twin rotator barlight, permanent mount. Gear driven, halogen bulbs included.	12 volt	510mm high x 220mm wide x 110mm high
	9031		24 volt	




**Mount your signage or light bars the easy way**






Make your vehicle even more productive...fit roof racks

Extremely versatile system. Interchange between vehicles with a minimum of fuss

**ROOF RACKS – CARRY YOUR LOAD ON THE WORLDS QUIETEST, MOST TECHNICALLY ADVANCED SYSTEM**

	Part Number	Description	Mounting type	Size (mm)
	Many options available	Whispbar Proracks – the ideal way to mount barlights, signage, or to simply help carry your ute, car or vans load. Interchangeable system that allows the same crossbar to be swapped between different vehicles. Simply choose from a wider type 'through' blade or a narrower 'flush' blade, then add the fitting kit for mounting it to your vehicle. Traditional prorack roof rack systems also available.	through blade	Many options available from 1100mm to 1500mm
	Many options available		flush blade	Many options available from 750mm to 1150mm
	Many options available		mounting kit to fit racks to specific vehicle	NA

**HEAVY HAULAGE TYPE BARLIGHTS.**


	Part Number	Description	Voltage	Size (mm)
	9040	Low profile Midi Max Barlights, 1.2m wide with 2 rotators. Amber and magenta polycarbonate lense options, for Overdimension Piloting. Alloy base, illuminated white centre.	12 volt	1219mm long x 290mm wide x 120mm high
	9041		24 volt	
	9045	Low profile Midi Max Barlights, 1.2m wide with 4 rotators. Amber and magenta polycarbonate lense options, for Overdimension Piloting. Alloy base, illuminated white centre.	12 volt	
9046	24 volt			
	9048	Amber polycarbonate lense to fit either end of 1.2m barlight above.	NA	NA
	9049	Magenta polycarbonate lense to fit either end of 1.2m barlight above.	NA	NA

LED barlights also available

Stackable, durable, stable and flexible

Completely compliant with safety regulations




**Bright fluorescent colours to keep your site safe**





**WORKSITE SAFETY –  
KEEP YOUR OPERATION  
SAFE AND LEGAL!**




Our range of Safety Gear is extensive – from road cones to warning signs and barrier mesh. We even have reflective tape that can be applied to almost anything to ensure it stands out – especially at night.

**TEMPORARY ROAD AND WORKPLACE SIGNAGE**

	Part Number	Description	Size
	9319	'Men Working' type signs on diamond shaped panel	750 x 750mm
	9320	Sign stand – base	NA
	9321	Sign stand – upright	NA
	9323	Supplementary Signs with one line of text. For example 'Works End' and 'One Lane'	950 x 300mm
	9328	Supplementary Signs with two lines of text. For example 'Please Stop on Request'	950 x 500mm





	Part Number	Description	Size
	9362	'DANGER KEEP OUT CONSTRUCTION SITE' sign	450 x 300mm
	9363		400 x 600mm
	9364		800 x 600mm
	9366	'MULTIPLE HAZARD AREA' sign	240 x 340mm
	9367		480 x 600mm

**ROAD CONES – VERY VERSATILE WAY TO MARK OUT WORKPLACE.**

	Part Number	Description
	9170	450mm high plain cone with no collar
	9171	450mm high cone with reflective collar
	9173	900mm high cone with 2 reflective collars. Transit compliant. Extensively used to control traffic and protect work sites. Stackable, durable, stable and flexible.
	9176	900mm high Port-A-Cone which can be collapsed into a small flat carry bag. 2 reflective strips. Internal LED light powered by AAA batteries (included)
	9178	Extendable reflective barrier arm for mounting onto cones. From 1.2m to 2.1m long.






**HAZARD BEACONS – IDENTIFY HAZARDS WITH A FLASHING LIGHT.**



	Part Number	Description	Power Source
	9120 9121	Hazard amber beacon with a universal fitting mount. Security nut and key to deter thieves. Light sensitive – automatically flashes in the dark. Key	6 volt battery (supplied separately) NA
	3301	6 volt lantern battery (range of other batteries on page 182)	NA
	9502 amber 9503 red	Flare Alert LED Marker beacon with magnetic base. 2 functions. Powered by AA batteries, range of fittings also available as follows.	AA batteries (supplied separately)
	9504	Weighted base for flare alert beacon.	NA
	9505	Cone adaptor for flare alert beacon.	NA
	9507 carry 3 9508 carry 8	Carry case for Flare Alert beacons. Option of case to carry 3 or 8 units.	NA



**BARRIER MESH AND WARNING TAPE.**

	Part Number	Description	Size
	9180	Create a temporary barrier and keep your workplace safe with barrier mesh. Useful in many situations, and reusable. Available in different weights with varying rigidity.	Ultima – 30m long
	9182		Euro mesh – 50m long
	9160	Get the message across with Warning Tape. Easily placed around your site or laid over service areas. 15 messages to choose from: <ul style="list-style-type: none"> <li>• DANGER KEEP OUT</li> <li>• CAUTION</li> <li>• DANGER MEN WORKING ABOVE</li> <li>• RESTRICTED AREA PLEASE KEEP OUT</li> <li>• KEEP OFF CONCRETE</li> <li>• WET PAINT</li> <li>• DANGER RADIO ACTIVE</li> <li>• ASBESTOS WARNING</li> <li>• ROAD CLOSED</li> <li>• CAUTION BURIED WATER MAIN</li> <li>• CAUTION BURIED GAS MAIN</li> <li>• DANGER ELECTRIC CABLE BELOW</li> <li>• CAUTION BURIED SEWER MAIN</li> <li>• NON PORTABLE WATER</li> <li>• CAUTION BURIED OPTIC FIBRE CABLE</li> </ul>	250m long

**REFLECTIVE TAPE – MAKE YOUR GEAR STAND OUT AND MINIMIZE THE RISK OF ACCIDENTS.**

	Part Number	Description	Size	Colour(s)
	9262	Reflective Tape with wide angle reflective performance, solvent and impact resistant. Cut to any length you require.	50mm wide	Plain red
	9266			Red / white
	9269			Red / gold on angle
	6319	Anti slip tape with adhesive. Cut to any length you require.	50mm wide	Black

Other sizes and colours also available.

**FREEFAX 0508 41 41 41, or EMAIL [sales@transquip.co.nz](mailto:sales@transquip.co.nz)**











**PERSONAL SAFETY GEAR.**

We stock the gear you'll need to keep your workers safe and compliant, including:





- Top quality helmets, boots, goggles and earmuffs.
- High visibility vests, shirts and overalls.
- First Aid Kits...so you're prepared for the unexpected.

**PERSONAL PROTECTIVE GEAR.**


	Part Number	Description
	9301	Hard hat in various colours. Adjustable head band.
	9305	Examination disposable gloves in sizes M, L & XL. Box of 100.
	9307	'Rigger' leather gloves in size L, XL and 2XL.
	9310	Quality 3M, class 5 earmuffs in bright orange with adjustable headband.

	Part Number	Description
	9311	Quality 3M, class 5 hard hat earmuffs.
	9312	Quality Pelter H7F, class 5 earmuffs fully folding.
	9314	Lightweight adjustable economy earmuffs equivalent to Grade 3.
	9316	Safety glasses, clear or shade type lenses.




**SAFETY VESTS – KEEP SAFE AND LEGAL! NO SLEEVES ALLOWS EASY ARM MOVEMENT WHILE WORKING.**

	Part Number	Description	Sizes
	9467 (dome) 9467 (zip)	Fluro Safety Vest with reflective strips for day / night use. Dome or Zip.	Medium to 5XL
	9469	Non reflective day fluro Safety Vest. Dome or Zip.	
	9470	STMS fluro Safety Vest in yellow.	
	9453	Keep safe and cozy! Thermal fluro vest with reflective tape. Lined side pockets and handy front pockets. Meets highway use specs.	



**OILSKIN THERMAL VEST - A REAL WINTER FAVOURITE!**

	Part Number	Description	Size
	9423	A good looking and hard wearing vest that keeps you warm and dry. Cosy fleece lining and long tail to keep your back warm while bending over. Available in 4 colours – black, dark blue, dark brown and dark green.	Medium - 5XL



**HI VIS PRINTED TOPS – GOOD LOOKING PRINTS TO KEEP YOU SAFE.**

	Part Number	Description	Size
	9415	Hi Vis singlet	Small to 5XL
	9417	Hi Vis tee-shirt	
	9418	Hi Vis Polo shirt	





**OVERALLS – WORK GEAR IN PLAIN OR FLURO OPTIONS.**

	Part Number	Description	Colours	Size
	9480	Overalls and Safety Vest in one! Fluro top with long tail and reflective tape to meet TTMC day /night standard. 300gsm Polycotton, vislon (plastic) zip.	Navy and Hi Vis orange	4 – 14
	9490	Popular Polycotton overalls, 270gsm. Made tough to withstand heavy industrial use and commercial laundering.	Royal Spruce Red Charcoal White Orange Navy	4 – 14

**SAFETY BOOTS**

	Part Number	Description	Type	Size
	9402 9403	Safety black boot with leather upper and Dual density PU/TPU sole for comfort and long term wear. Resistant to oil, acid and heat.	Elastic pull-on  Lace up	5 – 13
	9408	High leg, lightweight brown boot. Steel cap toe with rubber scuff cap and steel midsole. Oil and fuel resistant sole.	Lace up	5 – 13

**FIRST AID KITS – OSH COMPLIANT IN A RANGE THAT SUITS MANY DIFFERENT APPLICATIONS. DON'T BE CAUGHT OUT!**

	Part Number	Description
	9601	'Aqua Mini' – a basic kit in a hard pack for lone or mobile use. Ideal for fleet vehicles, marine or sport application.
	9602	'Auto Kit' – a complete kit for lone or mobile use. Ideal for fleet vehicles, travel, tramping and personal use.
	9603	'Auto Deluxe' – a small but comprehensive kit in a fold out carry bag. For lone or mobile use. Ideal for tradesmen's vehicles, boats, fleet or residential use.
	9604	'General Purpose' – an all purpose kit for lone, mobile or small business use. Room for personal additions.
	9605	'OSH Compliant Kit A' – comprehensive contents including accident register for small – medium businesses. (Approx 1-5 factory or 1-25 office workers).
	9606	'Hard Pack 1000' – in a sealed container. Ideal for fleet vehicles in wet, dirty or dusty conditions.
	9607	OSH Cabinet' – a steel cabinet with comprehensive contents ideal for medium to large businesses.